VERMØNT NATURAL COATINGS® Revised Date: 05-01-2017

SAFETY DATA SHEET

BÖHME Suncare 900

Supersedes: 08-21-2014

1. Identification

Product identifier	Suncare 900	
Product type	Liquid	
Other means of identification		
Synonyms	None	
Product Code	-	
Recommended use	No information available.	
Recommended restrictions	No information available.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer/Supplier	Vermont Natural Coatings	
	Box 512	
	Hardwick, VT 05843	
	United States	
General Assistance	(802) 472-8700	
E-Mail	info@vermontnaturalcoatings.com	
Contact Person	No information available.	
Emergency Telephone	(802) 472-8700	

2. Hazard(s) Identification

OSHA/HCS status	This material is not considered as hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), however this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	Not classified.
Physical hazards	Not classified
Health hazards	Not classified
GHS Label elements	Not applicable.
Signal word	Not applicable.
Hazard statement	Not applicable.
Precautionary statement	Contains 1,2-benzisothiazol-3(2H)-one; 3-iodo-2-propynyl butyl carbamate. May produce an allergic reaction.
Hazard(s) not otherwise classified	None known.

3. Composition/information on ingredients

Mixture

Chemical name	CAS number	<u>%</u>
2-(2-butoxyethoxy)ethanol	112-34-5	>1 - <u><</u> 2.5

4. First-aid measures	
Inhalation	Remove to fresh air. Administer oxygen if necessary. Seek immediate medical attention.
Skin contact	Wash thoroughly with soap and water. If irritation persists, get medical attention.
Eye contact	Flush with large quantities of water for at least 15 minutes. Remove contact lenses if present. Seek immediate medical attention.
Ingestion	Do not induce vomiting. Drink 1 or 2 glasses of water to dilute. Obtain medical attention immediately.
Most important symptoms/effects, acute and delayed	No known significant effects or critical hazards.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. In case of shortness of breath, give oxygen. Keep victim warm.
General information	If exposed or concerned: get medical attention/advice. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical	Use an extinguishing agent suitable for the surrounding fire. Strong water jet. Closed containers may explode when exposed to extreme heat or fire. Decomposition of burning material may cause toxic gases to form, which may include carbon dioxide and
Special protective equipment and Special firefighting procedures	carbon monoxide. Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	 For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up	 Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (See Section 8).
Conditions for safe storage, including any incompatibilities.	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value
2-(2-butoxyethoxy)ethanol	TWA	10 ppm (67.5 mg/m ³)

US. OSHA Table Z-2 (29 CFR

1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

US. ACGIH Threshold Limit Values Components 2-(2-butoxyethoxy)ethanol	Туре МАК	Value 100 mg/m ³
Protective Equipment		
Appropriate engineering controls	Good general ventilation shou exposure to airborne contami	uld be sufficient to control worker inants.
Individual protection measures, su		
Eye/face protection Skin protection	be used when a risk assessme avoid exposure to liquid splas contact is possible, the follow	ing protection should be worn, es a higher degree of protection:
Hand protection	Chemical-resistant, imperviou approved standard should be chemical products if a risk ass necessary. > 8 hours (breakth	worn at all times when handling essment indicates this is
Body protection		nt for the body should be selected ormed and the risks involved and cialist before handling this
Other	Appropriate footwear and any measures should be selected performed and the risks invol specialist before handling this	based on the task being ved and should be approved by a

Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Refer to label
Odor	Characteristic
Odor threshold	No information available.
рH	7.8
Melting point	No information available.
Freezing point	No information available.
Flash point	N/A
% Volatile by Volume	No information available.
Evaporation rate (BuOAc=1)	Slower than ether.
Material Volatile Organic Compound	No information available.
(V.O.C.)	
Coating Volatile Organic Compound	30 g/L (maximum)
(V.O.C)	
Flammability (solid, liquid, gas)	None.
Upper/lower flammability or explosive l	imits
Flammability limit – lower (%)	Not applicable.
Flammability limit – upper (%)	Not applicable.
Explosive limit - lower (%)	No information available.
Explosive limit - upper (%)	No information available.
Vapor pressure at 20°C	19.52 mbar
Vapor density (Air=1)	Heavier than air.
Relative density (Specific gravity)	1.01
Solubility(ies)	
Solubility (water)	Completely miscible
Solubility (other)	No information available.
Auto-ignition temperature	N/A.
Decomposition temperature	No information available.

Viscosity

No information available.

10.	Stability	and	reactivity
-----	-----------	-----	------------

Reactivity	Product is stable.
Chemical stability	Stable under recommended handling and storage conditions.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	Elevated temperatures. Contact with oxidizing agent.
Incompatible materials	Oxidizers, acids and bases.
Hazardous decomposition Products	Burning or decomposing film may give off carbon dioxide and
	or carbon monoxide.

11. Toxicological information

Information on the likely routes of exposure		
Ingestion	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Eye contact	No specific data.	
Symptoms related to the physical,	No specific data.	
chemical and toxicological		
characteristics		
Delayed and immediate effects	No known significant effects or critical hazards.	
and also chronic effects from		
short- and long-term exposure		
Skin correction (invitation	No information available.	
Skin corrosion/irritation		
Serious eye damage/eye irritation	No information available.	
Respiratory or skin sensitization		
Respiratory sensitization	No information available.	
Skin sensitization	Repeated or prolonged contact may cause non-allergic dermatitis.	
Germ cell mutagenicity	No known significant effects or critical hazards.	
Carcinogenicity	No known significant effects or critical hazards.	
Reproductive toxicity	No known significant effects or critical hazards.	
Specific target organ toxicity -	No information available.	
single exposure		
Specific target organ toxicity -	No information available.	
repeated exposure		
Aspiration hazard	No information available.	

12. Ecological information

Toxicity Persistence and degradability No information available. No information available.

Bioaccumulative potential	No information available.
Mobility in soil	No information available.
Other adverse effects	No information available.

13. Disposal considerations

Disposal instructions Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State and Local regulations. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

In accordance with DOT	Not regulated for transport.
In accordance with IMDG	Not regulated for transport.
In accordance with IATA	Not regulated for transport.

15. Regulatory information

US federal regulations	•	Hazardous Chemical" as defined by munication Standard, 29 CFR
	All components are on	the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
None of the chemicals in this product is listed.		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
2-(2-butoxyethoxy)ethanol 112-34-5		
CERCLA Hazardous Substance List (40 CFR	302.4)	
None of the chemicals in this		
product is listed.		
Superfund Amendments and Reauthoriza	tion Act of 1986 (SARA)	
Hazard categories	Immediate -	No

IIIIIIeulate	-	NO
Hazard		
Delayed Hazard	-	No
Fire Hazard	-	No
Pressure Hazard	-	No
Reactivity Hazard	-	No
bstance		
duct is listed.		
No)	
	Delayed Hazard Fire Hazard Pressure Hazard Reactivity Hazard bstance duct is listed.	Hazard Delayed Hazard - Fire Hazard - Pressure Hazard - Reactivity Hazard - bstance

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)		
Chemical Name	CAS number	% by wt
2-(2-butoxyethoxy)ethanol	112-34-5	>0.1 - <2.5
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List		
None of the chemicals in this product is listed.		
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)		
None of the chemicals in th	nis product is listed.	
Safe Drinking Water Act (S	DWA)	
None of the chemicals in th	nis product is listed.	

US State regulations

US. New Jersey Worker and Community Right-to-Know Act
None of the chemicals in this product is listed.
US. Pennsylvania Worker and Community Right-to-Know Law
None of the chemicals in this product is listed.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

None of the chemicals in this product is listed.


International Inventories

Country(s) or region	Inventory name	On inventory (yes/no) [*]
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing	No
	Commercial Chemical Substances	
	(EINECS)	
Europe	European List of Notified Chemical	No
	Substances (ELINCS)	
United States & Puerto	Toxic Substances Control Act (TSCA)	Yes
Rico	Inventory	

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision



Key to	abbreviations
--------	---------------

ACGIH: Documentation of the Threshold Limit Values and
Biological Exposure indices
GHS : Globally Harmonized System of Classification and
Labelling of Chemicals
IATA : International Air Transport Association
IMDG : International Maritime Dangerous Goods
NIOSH: The National Institute for Occupational Safety and
Health
OSHA: Occupational Safety and Health Administration

Disclaimer

The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations. All materials may present unknown hazards and should be used with caution.