

# POLYWHEY® PaintPlus

Revised Date: 06-01-2017 Supersedes: 07-07-2014

### 1. Identification

Product identifier PolyWhey® PaintPlus

Product type Liquid

Other means of identification

SDS number 03

Synonyms PolyWhey® PaintPlus

**Product Code** 

**Recommended use**No information available. **Recommended restrictions**No information available.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Vermont Natural Coatings

Box 512

Hardwick, VT 05843

**United States** 

General Assistance (802) 472-8700

**E-Mail** No information available. **Contact Person** No information available.

Emergency Telephone (802) 472-8700

### 2. Hazard(s) Identification

OSHA/HCS status This material is not considered as hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or

mixture

Not classified.

Physical hazards Not classified Health hazards Not classified

GHS Label elements

Signal word

Hazard statement

Precautionary statement

Hazard(s) not otherwise classified

Not applicable.

Not applicable.

Not applicable.

Not applicable.

None known.

## 3. Composition/information on ingredients

#### Mixture

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Triethylamine	121-44-8	<1%
Copper Nitrate	3251-23-8	<.1%
1,2-Propylene glycol	57-55-6	< 1%

## 4. First-aid measures

**Inhalation** Remove to fresh air. Administer oxygen if necessary. Seek

immediate medical attention.

**Skin contact** Wash thoroughly with soap and water. If irritation persists,

get medical attention.

**Eye contact** Flush with large quantities of water for at least 15 minutes.

Seek immediate medical attention.

**Ingestion** Do not induce vomiting. Drink 1 or 2 glasses of water to dilute.

Obtain medical attention immediately.

Most important symptoms/effects,

acute and delayed

No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat

symptomatically. Keep victim under observation. Symptoms may be delayed. In case of shortness of breath, give oxygen.

Keep victim warm.

**General information** If exposed or concerned: get medical attention/advice. Ensure

that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before re-use.

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Use an extinguishing agent suitable for the surrounding fire. None known.

Closed containers may explode when exposed to extreme heat or fire. Decomposition of burning material may cause toxic gases to form, which may include carbon dioxide and carbon monoxide.

Special protective equipment and Special firefighting procedures Self contained breathing apparatus and full protective clothing

must be worn in case of fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**Environmental Precautions** 

**For emergency responders**: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with

Methods and materials for containment and cleaning up

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Small spill:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

**US. ACGIH Threshold Limit Values** 

Components Type Value

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components Type Value

**Protective Equipment** 





Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection:

safety glasses with side shields.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): nitrile rubber

**Body protection** Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and

should be approved by a specialist before handling this

product.

Other Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory protection**Use a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment

indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Thermal hazards Wear appropriate thermal protective clothing, when

necessary.

**General hygiene considerations** Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate

techniques should be used to remove potentially

contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are

close to the workstation location.

Appropriate engineering controls Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

### 9. Physical and chemical properties

Appearance Milky liquid.
Physical state Liquid.
Form Liquid.
Color Milky.
Odor Slight odor.

Odor thresholdNo information available.pHNo information available.Melting pointNo information available.Freezing pointNo information available.

Initial boiling point and boiling range 212 °F Flash point None.

% Volatile by Volume No information available. Evaporation rate (BuOAc=1) Slower than ether.

**Coating Volatile Organic Compound** 

(V.O.C)

50 g/L max

1.03

Flammability (solid, liquid, gas) None. Upper/lower flammability or explosive limits

Flammability limit – lower (%) Not applicable. Flammability limit – upper (%) Not applicable.

Explosive limit - lower (%) No information available. Explosive limit - upper (%) No information available.

Vapor pressure (mm Hg) < 1 mm Hg Vapor density (Air=1) Heavier than air.

Relative density (Specific gravity)

Solubility(ies)

Solubility (water) Dilutable.

Solubility (other)

Partition coefficient (n-octanol/water)

Auto-ignition temperature

Decomposition temperature

No information available.

No information available.

No information available.

Viscosity No information available.

## 10. Stability and reactivity

Reactivity Product is stable.

**Chemical stability** Stable under recommended handling and storage conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

**Conditions to avoid** Elevated temperatures. Contact with oxidizing agent.

**Incompatible materials** Oxidizers, acids and bases.

**Hazardous decomposition Products** Burning or decomposing film may give off carbon dioxide and

or carbon monoxide.

### 11. Toxicological information

Information on the likely routes of exposure

Ingestion No specific data. Inhalation No specific data. Skin contact No specific data. No specific data. **Eve contact** No specific data.

Symptoms related to the physical,

chemical and toxicological

characteristics

**Delayed and immediate effects** and also chronic effects from short- and long-term exposure

No known significant effects or critical hazards.

Numerical measures of toxicity

Components **Test Results** Test Species 22000 mg/kg 1,2-Propylene glycol Oral LD50 Rat (CAS 57-55-6) Dermal LD<sub>50</sub> Rabbit >2000 mg/kg

No information available.

Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization

No information available. **Respiratory sensitization** No information available. Skin sensitization Germ cell mutagenicity No information available. Carcinogenicity No information available. Reproductive toxicity No information available. No information available. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

No information available. Aspiration hazard

## 12. Ecological information

Numerical measures of toxicity						
Components	Test	Species	Test Results			
1,2-Propylene glycol	Fish LC <sub>50</sub>	Rainbow trout	40613mg/l, 96h			
(CAS 57-55-6)	Crustacea	(Oncorhynchus mykiss) Water flea	13020 mg/l, 7d			
	NOEC	(Ceriodaphnia sp.)	13020 1118/1, 70			
	Algae NOEC	Green algae	15000 mg/l, 14d			
		(Pseudokirchnerella subcapitata)				
Persistence and degradability No information available.						
Bioaccumulative potential		o information available.				
Mobility in soil		o information available.				
Other adverse effects	INC	o information available.				
13. Disposal considerations						
Disposal instructions	Wa	aste from this product is not hazardous	s as defined under			
	the Resource Conservation and Recovery Act (RCRA) 40 CFR					
		261. Dispose of in accordance with Federal, State and Local				
		regulations. Waste packaging should be recycled. Incineration				
		or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in				
	reasible. This material and its container must be disposed of it					

14. Transport information	nformation	t inf	ransp	14.
---------------------------	------------	-------	-------	-----

In accordance with DOT
In accordance with IMDG
In accordance with IATA
Not regulated for transport.
Not regulated for transport.

## 15. Regulatory information

**US federal regulations** This product is not a "Hazardous Chemical" as defined by

the OSHA Hazard Communication Standard, 29 CFR

a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None of the chemicals in this product is listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

1,2-Propylene glycol (CAS 57-55-6)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

None of the chemicals in this product is listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate - No

Hazard

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302/304 Extremely hazardous substance

None of the chemicals in this product is listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

None of the chemicals in this product is listed.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

None of the chemicals in this product is listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None of the chemicals in this product is listed.

Safe Drinking Water Act (SDWA)

None of the chemicals in this product is listed.

## **US State regulations**

#### **US. New Jersey Worker and Community Right-to-Know Act**

1,2-Propylene glycol (CAS 57-55-6)

### US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propylene glycol (CAS 57-55-6)

## **US. California Proposition 65**

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

None of the chemicals in this product is listed.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing	No
	Commercial Chemical Substances (EINECS)	
Europe	European List of Notified Chemical	No
	Substances (ELINCS)	
United States & Puerto	Toxic Substances Control Act (TSCA)	Yes
Rico	Inventory	

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).


# 16. Other information, including date of preparation or last revision

 Issue date
 07-07-2014

 Revision date
 06-01-2017

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # NFPA rating



**Key to abbreviations** 

ACGIH: Documentation of the Threshold Limit Values and

**Biological Exposure indices** 

GHS: Globally Harmonized System of Classification and

Labelling of Chemicals

IATA :International Air Transport Association IMDG : International Maritime Dangerous Goods

NIOSH: The National Institute for Occupational Safety and

Health

OSHA: Occupational Safety and Health Administration

#### Disclaimer

The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations. All materials may present unknown hazards and should be used with caution.