

POLYWHEY® ECO-PROTM MATTE

Revised Date: 01-07-2016 Supersedes: 06-24-2008

Section 1. Identification

Product identifier PolyWhey[®]ECO-PRO[™] Matte Liquid

Product type

Other means of identification None

Synonyms -

Product Code No information available. No

Recommended use information available.

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Vermont Natural Coatings

Box 512

General Assistance Hardwick, VT 05843

E-Mail United States
Contact Person (802) 472-8700

info@vermontnaturalcoatings.com

No information available.

Emergency Telephone (802) 472-8700

Section 2. Hazard(s) Identification

OSHA/HCS status This material is not considered as hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or

mixture

Not classified.

GHS Label elements

Signal word

Hazard statement

Precautionary statement

Hazard(s) not otherwise classified

Not applicable.

Not applicable.

Not applicable.

None known.

Section 3. Composition/information on ingredients

Mixture

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Silicon dioxide, chemically prepared	112926-00-8	>1 - <3
Dipropylene glycol n-butylether	29911-28-2	<u>≥</u> 1 - <3
Zinc oxide (ZnO)	1314-13-2	<u>≥</u> 0.1-<1
1,2-Propylene glycol	57-55-6	<u>≥</u> 0.1-<1

Section 4. First-aid measures

Inhalation Remove to fresh air. Administer oxygen if necessary. Seek

immediate medical attention.

Skin contact Wash thoroughly with soap and water. If irritation persists, get

medical attention.

Eye contact Flush with large quantities of water for at least 15 minutes.

Seek immediate medical attention.

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water to dilute.

Obtain medical attention immediately.

Most important symptoms/effects,

acute and delayed

No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat

symptomatically. Keep victim under observation. Symptoms may be delayed. In case of shortness of breath, give oxygen.

Keep victim warm.

General information If exposed or concerned: get medical attention/advice. Ensure

that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before re-use.

Section 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Use an extinguishing agent suitable for the surrounding fire. None known.

Closed containers may explode when exposed to extreme heat or fire. Decomposition of burning material may cause toxic gases to form, which may include carbon dioxide and carbon

monoxide.

Special protective equipment and Special firefighting procedures

Self contained breathing apparatus and full protective clothing

must be worn in case of fire.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Environmental Precautions

Methods and materials for containment and cleaning up

Section 7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (See Section 8).

Conditions for safe storage, including any incompatibilities.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

ComponentsTypeValueSilicon dioxide, chemicallyPEL(TWA)80 mg/m³

prepared

Zinc oxide (ZnO) PEL(TWA) 5 mg/m³ (fume)

15 mg/m³ (total dust) 5 mg/m³ (resp dust)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueSilicon dioxide, chemicallyTWA80 mg/m³

prepared

Zinc oxide (ZnO) TWA 5 mg/m³ (fume)

15 mg/m³(total dust) 5 mg/m³ (resp)

US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

US. ACGIH Threshold Limit Values

 $\begin{tabular}{lll} \textbf{Components} & \textbf{Type} & \textbf{Value} \\ Silicon dioxide, chemically & TLV(TWA) & 80 \ mg/m^3 \\ prepared & & & \\ Zinc oxide (ZnO) & TLV(TWA) & 2 \ mg/m^3 \\ & & & & & \\ TLV(ST) & 10 \ mg/m^3 \\ \end{tabular}$

US. NIOSH: Pocket Guide to Chemical Hazards

ComponentsTypeValueSilicon dioxide, chemically
preparedREL(TWA)6 mg/m³Zinc oxide (ZnO)REL(TWA)5 mg/m³REL(Ceiling)15 mg/m³

Protective Equipment





Appropriate engineering controls Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety eyewear complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety

glasses with side shields.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

> 8 hours (breakthrough time): nitrile rubber

Body protection Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protectionUse a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear appropriate thermal protective clothing, when necessary.

Thermal hazards

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Section 9. Physical and chemical properties

Appearance Milky liquid.
Physical state Liquid.
Form Liquid.
Color Milky.

Odor Slight odor.

Odor thresholdNo information available.pHNo information available.Melting pointNo information available.Freezing pointNo information available.

Initial boiling point and boiling range 212 °F Flash point None.

No information available. % Volatile by Volume

Evaporation rate (BuOAc=1) Slower than ether.

Material Volatile Organic Compound 0.09 lbs/gal max (35 g/L max)

(V.O.C.)

Coating Volatile Organic Compound 0.21 lbs/gal max (95 g/L max)

(V.O.C)

Flammability (solid, liquid, gas) None. Upper/lower flammability or explosive limits

> Flammability limit – lower (%) Not applicable. Flammability limit – upper (%) Not applicable.

Explosive limit - lower (%) No information available. No information available. Explosive limit - upper (%)

Vapor pressure (mm Hg) < 1 mm Hg Vapor density (Air=1) Heavier than air.

Relative density (Specific gravity) 1.0

Solubility(ies)

Solubility (water) Dilatable.

Solubility (other) No information available. Partition coefficient (n-octanol/water) No information available.

Auto-ignition temperature None.

Decomposition temperature No information available. No information available. Viscosity

Section 10. Stability and reactivity

Product is stable. Reactivity

Chemical stability Stable under recommended handling and storage conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid Elevated temperatures. Contact with oxidizing agent.

Incompatible materials Oxidizers, acids and bases.

Hazardous decomposition Products Burning or decomposing film may give off carbon dioxide and or

carbon monoxide.

Section 11. Toxicological information

Information on the likely routes of exposure

No specific data. Ingestion No specific data. **Inhalation** No specific data. Skin contact Eye contact No specific data. No specific data.

Symptoms related to the physical,

chemical and toxicological

characteristics

Delayed and immediate effects and also chronic effects from

short- and long-term exposure

No known significant effects or critical hazards.

Skin corrosion/irritation
Serious eye damage/eye irritation
Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization
Germ cell mutagenicity

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Aspiration hazard

No information available. No information available.

No information available. No information available.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No information available.

No information available.

No information available.

Section 12. Ecological information

Numerical measures of toxic	ity		
Components	Test	Species	Test Results
Silicon dioxide, chemically	Fish LC ₅₀	Zebra fish	>1000 mg/l, 96h
prepared		(Brachydanio rerio)	
(CAS 112926-00-8)	Crustacea	Water flea	>1000 mg/l, 24h
	EC ₅₀	(Daphnia magna)	
Dipropylene glycol n-	Fish LC ₅₀	Guppy fish	841 mg/l, 96h
butylether		(Poecilia reticulata)	
(CAS 29911-28-2)	Crustacea	Water flea	>1000 mg/l, 48h
	EC ₅₀	(Daphnia magna)	_
	Algae EC ₅₀	Green algae	33.65 mg/l, 96h
		(Selenastrum capricornutum)	
Zinc oxide (ZnO)	Fish LC ₅₀	Fathead minnow	2,246 mg/l, 96h
(CAS 1314-13-2)		(Pimephales Promelas)	
	Crustacea	Water flea	24.6 mg/l, 48h
	EC ₅₀	(Daphnia magna)	
1,2-Propylene glycol	Fish LC ₅₀	Rainbow trout	40613mg/l, 96h
(CAS 57-55-6)		(Oncorhynchus mykiss)	
	Crustacea	Water flea	13020 mg/l, 7d
	NOEC	(Ceriodaphnia sp.)	
	Algae	Green algae	15000 mg/l, 14d
	NOEC	(Pseudokirchnerella subcapitata)	
Persistence and degradability No information available.			
Bioaccumulative potential No information available.			

No information available.

No information available.

Section 13. Disposal considerations

Mobility in soil

Other adverse effects

Disposal instructions

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State and Local regulations. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

In accordance with DOT Not regulated for transport. In accordance with IMDG Not regulated for transport. In accordance with IATA Not regulated for transport.

Section 15. Regulatory information

US federal regulations This product is not a "Hazardous Chemical" as defined by

the OSHA Hazard Communication Standard, 29 CFR

1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None of the chemicals in this product is listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Silicon dioxide, chemically prepared Listed

(CAS 112926-00-8)

Zinc oxide (ZnO) (CAS 1314-13-2) Listed

CERCLA Hazardous Substance List (40 CFR 302.4)

None of the chemicals in this product is listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302/304 Extremely hazardous substance

None of the chemicals in this product is listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

None of the chemicals in this product is listed.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

None of the chemicals in this product is listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None of the chemicals in this product is listed.

Safe Drinking Water Act (SDWA)

None of the chemicals in this product is listed.

US State regulations

US. New Jersey Worker and Community Right-to-Know Act

Silicon dioxide, chemically prepared (CAS 112926-00-8)

Zinc oxide (ZnO) (CAS 1314-13-2)

1,2-Propylene glycol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc oxide (ZnO) (CAS 1314-13-2)

1,2-Propylene glycol (CAS 57-55-6)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

None of the chemicals in this product is listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial	No
	Chemical Substances (EINECS)	
Europe	European List of Notified Chemical	No
	Substances (ELINCS)	
United States & Puerto	Toxic Substances Control Act (TSCA)	Yes
Rico	Inventory	

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).


Section 16. Other information, including date of preparation or last revision

 Issue date
 06-24-2008

 Revision date
 01-07-2016

Version # 01

NFPA rating



Key to abbreviations ACGIH: Documentation of the Threshold Limit Values and

Biological Exposure indices

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

GHS: Globally Harmonized System of Classification and

Labelling of Chemicals

IATA :International Air Transport Association
IMDG : International Maritime Dangerous Goods

NIOSH: The National Institute for Occupational Safety and

Health

OSHA: Occupational Safety and Health Administration

Disclaimer

The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations. All materials may present unknown hazards and should be used with caution.